

CONTENTS

Investigation for an Application of Strong Magnetic Field to X-Ray Therapy for Inhomogeneous Region	1
<i>H. Itoh, A. Wakita, R. Taniguchi, S. Okuda, A. Sawada, Y. Iwashita, A. Noda and M. Hiraoka</i>	
Effects of Scattered Radiation due to a Gold Internal Fiducial Marker for Precise Setup in External Radiotheraph	8
<i>K. Habara, T. Shimozato, Y. Aoyama, R. Kawanami, K. Yasui, M. Komori, and Y. Obata</i>	
Comparison of Output Factor Obtained by Measurement and Radiation Treatment Planning System in a Lung Tissue	13
<i>Y. Igarashi, Y. Aoyama, Y. Obata, K. Habara, T. Shimozato, and M. Komori</i>	
Investigation for the Calculation of Absorbed Dose in High-Density Bone Material	21
<i>T. Matsunaga, T. Shimozato, Y. Aoyama, M. Komori, and Y. Obata</i>	
Development and Validation of Monte Carlo Dose Verification System for Intensity Modulated Radiotherapy	30
<i>Y. Ishihara, Y. Narita, T. Yamamoto, T. Mizowaki, Y. Miyabe, A. Sawada, S. Yano, T. Teshima, and M. Hiraoka</i>	
Investigation of Uniform Exposure to Surface Lesion Using Ir-192 Source	40
<i>K. Yasui, Y. Aoyama, T. Shimozato, R. Kawanami, K. Habara, M. Komori, and Y. Obata</i>	
Comparing with the Calculations of Plato Clinical Treatment Planning System and EGS5 Simulations for Brachytherapy	48
<i>S. Tsuji and N. Narihiro</i>	
Monte Carlo Characterization of the Photon Source from a Clinical Linear Accelerator	53
<i>N. Mukumoto and T. Teshima</i>	
Effect of the Beam Shaping Filter in the X-ray CT Simulation	59
<i>Y. Morishita and S. Koyama</i>	
Assessment of the Validity of Virtual Grid Using Monte Carlo Code EGS5	65
<i>Y. Chujo and S. Koyama</i>	
Simulations of Photon Specific Absorbed Fractions in a Mouse Voxel Phantom	70
<i>A. Mohammadi and S. Kinase</i>	

Evaluation of Counting Efficiencies of a Whole-Body Counter Considering the ICRP Biokinetic Models	78
<i>M. Takahashi, S. Kinase, and R. Kramer</i>	
Evaluation of LSO Scintillator Characteristics for Development of Lost Alpha Particle-Induced Gamma Ray Detector System in ITER	84
<i>S. Kashiwa, M. Nishiura, T. Tanaka, T. Nagasaka, K. Fujioka, A. Okamoto, S. Kitajima, and M. Sasao</i>	
Evaluation of Delta-Rays Production in a Wall-Less Tissue Equivalent Proportional Counter Irradiated by Energetic Heavy Ion Beams	90
<i>S. Tsuda, T. Sato, H. Iwase, Y. Namito, and S. Sasaki</i>	
Incorporating the LPM Effect in the EGS5 Code	96
<i>Y. Kirihara, Y. Namito, and H. Hirayama</i>	
Charged Particle Transport Calculation with GPU 2	110
<i>K. Okei and T. Nakatsuka</i>	